

**SO** **LLS**

**CIROC**

**ROLLER | PANEL | ROMAN**

**LIGHT FILTER | BLOCKOUT**

# CIROC LIGHT FILTER BLOCKOUT

---

Composition:	100% Polyester
Coating:	Blockout coated with acrylic foam   Light Filtering stiffened with acrylic
Weight:	Blockout 420gsm +/-10%   Light Filtering 260gsm +/-10%
Thickness:	Blockout 0.72mm   Light Filtering 0.63mm
Width:	3,000mm
Light Fastness:	> 5 (Blue wood scale), fully fade resistant
Blockout:	Blockout only tested to meet AS-2663-1999
Flame Retardant:	Product is designed and manufactured to comply with Building Code of Australia requirements for class requirements
Cleaning:	Wipe clean with warm soapy water, and damp cloth

---

## Optional Features

Custom Colours:	Blockout available in minimum orders of 500m per colour
Flame Retardant:	While the untreated fabric meets the BCA requirements for RF, the blockout fabric is also available with the full FR finish, MOQ 500m applies

---



**flame retardant\***

\*FR version available in blockout only

# **SOLIS PRODUCTS**

190 WILLOUGHBY ROAD  
CROWS NEST NSW 2065  
P+ 612 9439 9020  
F+ 612 9439 9223

**[WWW.SOLISPRODUCTS.COM](http://WWW.SOLISPRODUCTS.COM)**